



- Back View
- 1) -18V Batt.
 - 2) Earth
 - 3) Input 10 mV
 - 4) Start-Stop POH, Automatic SLO
 - 5) Ext. Power
 - 6) Stabilised Voltage -10.5V
- Back View
PILOT INFLU
- 1) Pilot Signal Input
 - 2) Earth
 - 3) Earth
 - 4) Speed correction (SLO)
 - 5) Pilot Signal Output
 - 6) Startmark Input

Symbols code

	Resistor		Potentiometer
	Capacitor		HF inductor
	Electrolytic Capacitor		Variable inductor
	Tantalum Capacitor		AF Transformer
	Diode		HF Transformer
	Zener Diode		Ferrite antiparasitic Filters
	Output socket or Selector pin		Colour change in the wiring
	Transistor PNP		Transistor NPN
	Shielded cable		Magnetic head

AUTOMATIC RECORD
 HIFI RECORD
 TEST
 STOP
 PLAYBACK & Batt. Meter
 HIFI PLAYBACK

Selector switch position

* Adjustable condensers & resistors

POH Nagras only

BH Nagras only

red (AF: orange)

-10.5 V = grey

Cable colour code

Bl = Black
 Br = Brown
 R = Red
 Y = Yellow
 G = Green
 B = Blue
 V = Violet
 Gr = Grey
 W = White

NAGRA III KUDELSKI - Renens switzerland

Dessiné le: 12.2.57 RA
 Contrôlé le: 13.2.57 GAM

ALTENBACH